

Special 16-LIGHTS Outdoor Sparkle Set

Put on a BIG show at a little price!

We bought 'em at a super-clear-out price—and we're passing the savings on to you! They're CSA approved—the quality is tops. Hold-tight clips—safety sockets. We reserve the right to limit quantities.


Extra Sparkle or Glow Bulbs—pkg. of 4... **.59**
In Violet or Ruby colors—pkg. of 4... **.79**
'Twinkle' Outdoor Bulbs—pkg. of 4... **.98**

Limited Quantity
3.33
16-LIGHT SET

Outdoor Sparkle Lights in assorted lengths —

7 Light Set	12 Light Set	15 Light Set	25 Light Set
2.29	3.69	4.19	6.98

(OUTDOOR MINI LIGHT SETS ALSO AVAILABLE)



At Canadian Tire there's everything for the home-front Santa!...

(a) CLEAR FLOODLIGHT Complete kit: Bulb, adjustable stand, cord: 3.33	(c) 'FLASHER' PLUG Sturdy plastic. Fits any 2 or 3-prong outlet. CSA approved. .48	(e) 10 to 30 amp. FUSES CSA approved. Package of 3 Overload Fuses each— .23	(g) CHRISTMAS STENCILS For that instant Christmas look! Pack of 9 assorted prints. .19
(b) EXTENSION CORDS 4-FOOT 1.29 15-FOOT 1.29 25-FOOT 2.29 100-FOOT 8.29	(d) LIGHT HANGERS Bulb hanging—15 for .89 Bulb clamping—15 for 1.29	(f) DECORATOR BULBS 25 watt—in 'coloramic' Red, Green or Blue. 2 for 1.17	(h) 'SNO-SPRAY' 10 ounces of creative fun! (Can be used with above stencils). .55

INDOOR LIGHTS in 7 to 50-Light Sets...

Indoor Sparkle Lights 7-LIGHT SET 1.65 EXTRA BULBS—pkg. of 4 for... .44	'Petite Snowdrops' 12-LIGHT SET 2.69 EXTRA BULBS—5 for... .59	Push-in Mini Lights 10-LIGHT SET 1.39 EXTRA BULBS—5 for... .39
---	---	--

GENERAL ELECTRIC Knife 22.88 9" stainless steel blades. Polystyrene casing. 8 ft. cord.	GENERAL ELECTRIC 12" Buffet Fry Pan 25.85 Gleaming cast aluminum; extra-deep tip lid; probe control. 1200-watt element. Full immersion. Cool plastic handles, non-tip feet. Detachable 6-foot cord.	SAMSON-DOMINION Multi-Speed Mixer 11.95 Value-packed table model with governor-controlled, adjustable-speed motor. Pyrex bowl; off-white and brown non-mar casing, stand. Removable beaters.
SUNBEAM Can Opener 12.97 With knife sharpener. Hard steel cutting wheel; lid lifter.	AUTOMATIC BUN Warmer 6.88 With heat thermostat. Vented cover. 9 3/4" diameter. Cord.	AUTOMATIC Deep Fryer 11.96 Full range heat settings. 1150-watt, 115 volt. Heating element.

Apply for a **Canadian Tire CREDIT CARD**

CANADIAN TIRE HAGERSVILLE

EXTRA! Cash and Carry BONUS COUPONS

CANADIAN TIRE

LIFE-LIKE TREES
... at the right size — shape — and price — stands included!

2 1/2 FOOTERS YOUR CHOICE 2.99 EACH

Choose from style (1) the "Miniature Scotch Pine" or style (2) "Pirouette Pine" Little table-top beauties!

(3) "HIGHLAND QUEEN"
4 1/2 ft. Scotch Pine. **8.29**
7 ft. Regular. **15.49**
7 ft. Snow-Tipped. **17.75**
7 ft. Deluxe. **20.95**

(4) "CANADIAN PINE"
6 ft. Silver or Green **3.89**
6 ft. Blue/Green... **5.69**

(5) The "BLUE SPRUCE"
6 ft. Regular. **12.29**
7 ft. Regular. **15.49**
7 ft. Bushy-Deluxe. **20.95**


(6) "NOBLE SCOT"
Our best 7-footer. **29.88**

(7) "ROYAL SCOT"
6 ft. White. **23.88**
7 ft. Forest-Green. **25.49**

Merry Christmas to all

THE WH RECORD
Serving West Haldimand

Vol. 94 No. 51 Wednesday, December 22, 1971 10c a copy



Thursday's wind storm managed to crumple the Jarvis Volunteer Firemen's Christmas display at the farm of Stan Doughty and Son. However, the firemen spent all day Sunday putting the bits and pieces back together and replaced the sign, this time with more supports. Other damage by the storm occurred at the Haldimand Trailer Sales on Highway 3 where a number of the trailers were blown over by the wind. (Staff Photo)

Powell 'Optimistic' Over Meeting With Bales

CAYUGA (Staff) — Reeve Ted Powell informed Haldimand County council Friday he was "optimistic" following a meeting with provincial affairs minister Dalton Bales on the county's chances of forming a county-wide planning board.

Reeve Powell who headed the five-man delegation to Toronto told county councillors the delegation was asked for funding to set up a planning board and the right to have the entire county council sit as the planning board.

"We were courteously received and the tone of the meeting was optimistic. Mr. Bales didn't object to anything we said and he agreed to look at it. He did ask if council would have the time to be an effective planning board and we assured him this was so.

"The result was that he said he would study the request and be in consultation with Norfolk. We will probably continue with the joint meetings with Norfolk.

"I sensed a willingness on his part to work with us in planning for Haldimand. He seemed impressed that we wanted to get to work with county wide planning for Haldimand," he said.

The delegation had travelled to Toronto with a resolution from council passed in September, proposing that Haldimand and Norfolk each set up a county planning board and share the services of a professional planner.

The two boards would operate independently, but would maintain liaison through the planner.

Haldimand Opposes Report On Hospital

CAYUGA (Staff) — With 8 Dunnville organizations petitioning Haldimand County Council, the town's Memorial Hospital may have a chance to remain as a fully active unit.

County councillors voted solidly to support the petitioners and "adamantly oppose any reduction of services" to the area.

A Woods-Gordon, consultant, report recommended to the hospital services be reduced to the point of providing care only in chronic cases and suggested the present services in Dunnville could be curtailed.

The hospital, built in 1920, having been financed by area residents, has 82 beds. There are seven general practitioners at the hospital, a general surgeon and 12 medical specialists available.

The report also states the pediatric unit should be closed down. Council noted there were a total of 255 births in 1970.

Closing the hospital would also make it necessary for area residents to travel between 20 to 28 miles to the nearest two other hospitals.

The hospital is fully accredited.

Dunn Township Reeve Keith Richardson said it "doesn't take too much thought what the closing of the hospital would do to the people in east Haldimand.

\$329,000 Sewer Project Revealed—Hagersville

HAGERSVILLE — A \$329,000 sewer and water project was revealed for Hagersville Friday by Reeve John Kincaid in Haldimand County Council.

Reeve Kincaid made the announcement during his address to council seeking support for a Lake Erie water pipeline supply.

He said he had received word from the Ontario Water Resources Commission that approval of the project had been made to run the sewage and water pipeline to approximately 90 households in the village's west end.

Reeve Kincaid said he hoped work on the lines could begin within a month.

Expressing happiness at the announcement of the project, he said it was deplorable that the area had had to wait 20 years for the proposal.

The work will likely involve disruption of roads in the west section.

Residents in the west end area have septic tanks and draw water from wells.

The OWRC will ask for the tenders on the project and will award the tender. Payment for the new sewer lines would increase the amount of sewage treatment plant. Representatives of the OWRC recently appeared before council to outline to council the steps it might take to have the OWRC take over the operation of the plant.

At that time, an OWRC projects engineer told the council the sewage plant was now operating near capacity.

Probation Officer's Removal Opposed

CAYUGA (Staff) — The removal of a full time probation officer from Haldimand raised the ire of Haldimand county councillors Friday and they intend to make their feelings known to the Ontario attorney general.

The provincial director of probation services last month confirmed that the county's probation officer, Ron Stuble, of Cayuga was being transferred to Hamilton and is not being replaced.

The office, in Cayuga is to remain open one day a week with the area to be served by the probation officer in Simcoe.

Council was presented with a resolution from the Children's Aid Society, which met Thursday to discuss the move, stating the CAS was concerned about the recent announcement.

The CAS deemed it a "highly retrograde" step and asked county council to pass its concern on to the provincial minister Allan Lawrence.

Warden Clayton Smith, said he had talked to Haldimand's provincial judge and "he is very upset about it. He says the probation officer should be left here."

County Backs Pipeline For Hagersville

CAYUGA (Staff) — Haldimand County council threw its unanimous support behind Hagersville's bid to have a Lake Erie water pipeline.

Council, meeting Friday, heard the resolution from Hagersville Reeve John Kincaid urging the other urban municipalities in the county join with the village in requesting the Ontario Water Resources Commission consider a water supply to Haldimand from Lake Erie.

The supply of fresh water to Hagersville has been a recurring theme for some time and Reeve Kincaid and the village council have been making a concerted effort recently to seek a water pipeline supply from the lake.

The OWRC, in a letter read to Hagersville council last week, noted an enlarged intake is being constructed at the Ontario Hydro generating site on Lake Erie to eventually accommodate a water supply pipeline, but that at present there was no indication that a pipeline would actually be built.

Reeve Kincaid told county council the intake is being built, but "we'll have to keep after them. We can't let it die. Not only does Hagersville need the water but there are problems in Walpole with wells going dry."

Reeve Gordon Miller, of Walpole, said his township would "certainly like to see

Walpole Views Film On Refuse Incinerator

Walpole Township councillors Monday viewed a film on incinerators being used as a method of garbage disposal in British Columbia.

The film, presented by Pilbrico Incinerators, was part of a program township councillors are undertaking to educate themselves about incinerators. Last week they toured dump sites at Simcoe and in Woodhouse Township. Simcoe uses an incinerator for garbage disposal and Woodhouse uses a cover method.

Walpole's dump site has

Walpole Views Film On Refuse Incinerator

See Page 5, Col. 1

See Page 5, Col. 2